



STN structure Search  
(Registry) (caplus)

10/528,461

11/13/2006

broad search



chain nodes :

7 8 9 10

ring nodes :

1 2 3 4 5 6 11 12 13 14 15 16 17 18 19 20 21 22

chain bonds :

6-7 7-11 8-10 8-9 14-17

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6 11-12 11-16 12-13 13-14 14-15 15-16 17-18  
17-22 18-19 19-20 20-21 21-22

exact/norm bonds :

6-7 7-11 8-10 8-9 14-17 17-18 17-22 18-19 19-20 20-21 21-22

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6 11-12 11-16 12-13 13-14 14-15 15-16

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:CLASS 10:CLASS  
11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom  
20:Atom 21:Atom 22:Atom 23:Atom

L5 STRUCTURE UPLOADED

=> d

L5 HAS NO ANSWERS

L5 STR

\* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT \*

Structure attributes must be viewed using STN Express query preparation.

=> s 15 full  
FULL SEARCH INITIATED 15:15:16 FILE 'REGISTRY'  
FULL SCREEN SEARCH COMPLETED - 1740 TO ITERATE

100.0% PROCESSED 1740 ITERATIONS  
SEARCH TIME: 00.00.02

11 ANSWERS

L6 11 SEA SSS FUL L5

=> fil caplus  
COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
501.26	501.47

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 15:15:31 ON 13 NOV 2006  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 13 Nov 2006 VOL 145 ISS 21  
FILE LAST UPDATED: 12 Nov 2006 (20061112/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s 16  
L7

4 L6

=> d ibib abs hitstr 1-4

L7 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2006 ACS on STN  
 ACCESSION NUMBER: 2006:608665 CAPLUS  
 DOCUMENT NUMBER: 145:62920  
 TITLE: Preparation of pyridines and pyrimidines as  
 inhibitors

of HCV RNA polymerases for treating liver diseases  
 Wobbe, C. Richard  
 Xtl Biopharmaceuticals Inc., USA  
 SOURCE: PCT Int. Appl., 42 pp.  
 CODEN: PIXXD2

DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006065590	A2	20060622	WO 2005-US44206	20051205
WO 2006065590	A3	20060921		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

RM: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

PRIORITY APPLN. INFO.: US 2004-637108P P 20041216

OTHER SOURCE(S): MARPAT 145:62920  
 GI



AB Title compds. I [wherein X = CH or N; R1, R2 = H, (un)substituted alkyl, (hetero)aryl, etc.; R3, R4 = H, (un)substituted alkyl, (hetero)aryl, etc.;

R3 and R4 may link together to form ring; R5 = halo, (un)substituted alkyl, amino, etc., with limitations] and pharmaceutically acceptable salts thereof, such as II, were prepared as antiviral agents. I showed 92-99% inhibition of HCV RNA polymerase at 10 µg/mL, and had extremely low cytotoxicity with CC50 of >100 µg/mL in a MTT assay using Hep G2 cells. The invented compds. are useful for the treatment of liver


L7 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

IT 891844-56-7P 891844-57-8P 891844-58-9P  
 891844-59-0P 891844-61-4P 891844-62-5P  
 RL: ADV (Adverse effect, including toxicity); PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (drug candidate; preparation of pyridines and pyrimidines as inhibitors of

HCV RNA polymerases for treating liver diseases)


RN 891844-56-7 CAPLUS

CN 3-Pyridinecarboxylic acid, 6-ethyl-2-[[4-(4-morpholinyl)phenyl]amino]-, ethyl ester (9CI) (CA INDEX NAME)



RN 891844-57-8 CAPLUS

CN 3-Pyridinecarboxylic acid, 6-ethyl-2-[[4-(4-morpholinyl)phenyl]amino]-, butyl ester (9CI) (CA INDEX NAME)




RN 891844-58-9 CAPLUS

CN 3-Pyridinecarboxylic acid, 6-ethyl-2-[[4-(4-morpholinyl)phenyl]amino]-, phenylmethyl ester (9CI) (CA INDEX NAME)




L7 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 891844-59-0 CAPLUS

CN 3-Pyridinecarboxylic acid, 6-butyl-2-[[4-(4-morpholinyl)phenyl]amino]-, butyl ester (9CI) (CA INDEX NAME)




RN 891844-61-4 CAPLUS

CN 3-Pyridinecarboxylic acid, 6-butyl-2-[methyl[4-(4-morpholinyl)phenyl]amino]-, butyl ester (9CI) (CA INDEX NAME)




RN 891844-62-5 CAPLUS

CN 3-Pyridinecarboxylic acid, 6-butyl-2-[[4-(4-morpholinyl)phenyl]propylamino]-, butyl ester (9CI) (CA INDEX NAME)



L7 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




L7 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2006 ACS on STN  
 ACCESSION NUMBER: 2006:388372 CAPLUS  
 DOCUMENT NUMBER: 144:412520  
 TITLE: Preparation of 4-(aminophenyl)morpholinone derivatives  
 INVENTOR(S): for pharmaceutical usage  
 PATENT ASSIGNEE(S): Marhold, Albrecht; Ebenbeck, Wolfgang  
 SOURCE: Lanxess Deutschland G.m.b.H., Germany  
 PCT Int. Appl., 22 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: German  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006042634	A1	20060427	WO 2005-EP10625	20051001
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GN, GW, GM, ML, MR, NE, SN, TD, TG, BW, GH, KE, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
DE 102004050283	A1	20060427	DE 2004-102004050283	20041015
PRIORITY APPLN. INFO.:			DE 2004-102004050283A	20041015

OTHER SOURCE(S): MARPAT 144:412520  
 AB 4-(Aminophenyl)morpholinone derivs. [e.g., 6-methyl-2-[(4-(3-oxomorpholin-4-yl)phenylamino)nicotinic acid, m.p. 242-244°] are prepared [e.g., by the condensation of 2-chloro-6-methylnicotinic acid with 4-(4-aminophenyl)-3-morpholinone] which are useful as pharmaceuticals (no data).  
 IT 883867-04-7P 883867-05-8P 883867-06-9P  
 RL: SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (preparation of 4-(aminophenyl)morpholinone derivs. for pharmaceutical usage)  
 RN 883867-04-7 CAPLUS  
 CN 3-Pyridinecarboxylic acid, 2-[(4-(3-oxo-4-morpholinyl)phenyl)amino]- (9CI)  
 (CA INDEX NAME)


L7 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 883867-05-8 CAPLUS  
 CN 3-Pyridinecarboxylic acid, 5-fluoro-2-[(4-(3-oxo-4-morpholinyl)phenyl)amino]- (9CI) (CA INDEX NAME)



RN 883867-06-9 CAPLUS  
 CN 3-Pyridinecarboxylic acid, 6-methyl-2-[(4-(3-oxo-4-morpholinyl)phenyl)amino]- (9CI) (CA INDEX NAME)




REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE  
 FORMAT

L7 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2006 ACS on STN  
 ACCESSION NUMBER: 2004:339335 CAPLUS  
 DOCUMENT NUMBER: 140:339335  
 TITLE: Preparation of 6-methyl-2-(4-morpholinoanilino)nicotinic acid as anti-HCV agent  
 INVENTOR(S): Kim, Jongwoo; Lee, Sangwook; Lee, Geunhyung; Han, Jaesjin; Park, Sangjin; Park, Eulyong; Shin, Joongchul  
 PATENT ASSIGNEE(S): B & C Biopharm Co., Ltd., S. Korea  
 SOURCE: PCT Int. Appl., 18 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004033450	A1	20040422	WO 2003-KR2034	20031002
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, BF, BJ, CF, CG, CI, CM, GN, GW, ML, MR, NE, SN, TD, TG			
KR 2004033099	A	20040421	KR 2002-61994	20021011
CA 2499642	AA	20040422	CA 2003-2499642	20031002
AU 2003265122	A1	20040504	AU 2003-265122	20031002
EP 1549642	A1	20050706	EP 2003-807998	20031002
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK			
BR 2003014478	A	20050726	BR 2003-14478	20031002
CN 1694880	A	20051109	CN 2003-80100748	20031002
JP 20060506358	T2	20060223	JP 2004-542896	20031002
PRIORITY APPLN. INFO.:			KR 2002-61994	A 20021011
			WO 2003-KR2034	W 20031002

AB The present invention relates to 6-methylpyridine derivative useful as an antiviral agent. More particularly, the present invention relates to the title compound (I) as novel 6-methylpyridine derivative which has an excellent inhibitory effect on replication of Hepatitis C virus (HCV), and thus can be advantageously used as a therapeutic or prophylactic agent of hepatitis C. The title compound I was prepared in 89% yield by reacting 2-chloro-6-methylnicotinic acid with 4-morpholinoaniline in the presence of pyridine in CHCl<sub>3</sub> at 60°C for 5 days. The pharmaceutical composition comprising the compound I as an active ingredient is claimed.  
 IT 681161-09-1P, 6-Methyl-2-(4-morpholinoanilino)nicotinic acid  
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (preparation of 6-methyl-2-(4-morpholinoanilino)nicotinic acid as anti-HCV agent)  
 RN 681161-09-1 CAPLUS

L7 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)  
 CN 3-Pyridinecarboxylic acid, 6-methyl-2-[(4-(4-morpholinyl)phenyl)amino]- (9CI) (CA INDEX NAME)




REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE  
 FORMAT


L7 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2006 ACS on STN  
 ACCESSION NUMBER: 2002:793832 CAPLUS  
 DOCUMENT NUMBER: 137:310824  
 TITLE: Preparation of quinoline inhibitors of hYAK1 and hYAK3  
 INVENTOR(S): kinases  
 Bryan, Deborah L.; Burgess, Joelle L.; Callahan, James  
 PATENT ASSIGNEE(S): F.  
 SOURCE: Smithkline Beecham Corporation, USA  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002081728	A2	20021017	WO 2002-US10657	20020404
WO 2002081728	A3	20021121		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
AU 2002256085	A1	20021021	AU 2002-256085	20020404
EP 1372654	A2	20040102	EP 2002-725526	20020404
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR			
JP 2004526756	T2	20040902	JP 2002-580090	20020404
US 2005043352	A1	20050224	US 2003-474094	20031006
US 7087758	B2	20060808	US 2001-282229P	P 20010406
PRIORITY APPLN. INFO.:			WO 2002-US10657	W 20020404

OTHER SOURCE(S): MARPAT 137:310824  
 GI



L7 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)  
 AB The title compds. (I: R6 = NHalkyl, NHcycloalkyl, NHaryl, etc.; R7 = CO2H, CONH2, CHNOH, etc.; R8 = H, OH, alkyl, etc.; R9 = H, alkyl, cycloalkyl, etc.; R8 and R9 can form a 5-7 membered ring comprising heteroatoms selected from O, N, and S; R10 = H, halo), useful in the treatment of diseases in which an excessive amount of either hYAK1 and hYAK3 kinases is a factor, were prepared. Thus, reacting 2-chloro-7-methoxyquinoline-3-carboxylic acid with 3-chloroaniline in xylene afforded I [R6 = 3-ClC6H4NH; R7 = CO2H; R8 = OMe; R9, R10 = H]. The compds. I showed IC50 of 0.01-10 μM, and 0.03-10 μM against hYAK1 and hYAK3, resp.  
 IT RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (preparation of quinoline inhibitors of hYAK1 and hYAK3 kinases for treating anemia)  
 RN 470702-06-B CAPLUS  
 CN 3-Quinolinecarboxylic acid, 7-methoxy-2-[(4-(4-morpholinyl)phenyl)amino]-(9CI) (CA INDEX NAME)



*different treatments*

*4/6/01*